



SWADLING

BRASSWARE

INSTALLATION INSTRUCTIONS

Engineer Wall Mount 3 Hole Basin Mixer (Manifold)

Standard Spout 8220001RDX

Long Spout 8220003RDX




IMPORTANT INSTALLATION INFORMATION



- Before Installation, please check all parts against the parts list on the back page of this booklet.
- Make sure that the parts are undamaged and that their finish is as expected.
- Should you find a faulty or damaged part, please be in touch with our Customer Services Team immediately using the contact details below.
- Any claim for faulty or damaged parts will require the affected part to be returned to Swadling Brassware for inspection and testing.
- No claim for damaged parts or issues with a product finish will be accepted after the product has been installed.

Swadling Brassware, Churchward Road, Yate, Bristol, BS37 5PL
Telephone: 01454 322888 **Email:** techsupport@swadlingbrassware.co.uk

DIMENSIONS



INSTALLATION




35mm

FINISHED WALL SURFACE

CUT DOWN SPLINE
IF REQUIRED TO
NOTCH NEAREST TO
35mm

(NOTE: SPLINE CAN
NOT BE LONGER THAN
35mm)




RE-ASSEMBLE HANDLE
UNTIL SLEEVE COMPRESSES
AGAINST RUBBER
WASHER

HANDLE
SHOULD
NOT
ROTATE

ROTATE SLEEVE SO THAT ENGRAVING IS
AT THE TOP AND TIGHTEN GRUB SCREW

PARTS LIST



GENERAL INSTALLATION TIPS

- Handle parts carefully and consider wearing gloves for living and brushed finishes.
- Only use water or soapy water to clean visible parts.
- Where silicone is required, only use neutral cure silicone.
- Chemicals should be kept away from this product. Splashes and sometimes vapours from household cleaning fluids, marble sealers and grout haze removers can cause damage.

SPOUT ALTERNATIVES		
PART No.	SPOUT LENGTH	
SB0193	162mm (STANDARD)	
SB0194	200mm (LONG)	